



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1430
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/761,114	01/20/2004	Hideki Kanie	0275M-644/COB	3130

27572 7590 07/22/2004

HARNESS, DICKEY & PIERCE, P.L.C.
P.O. BOX 828
BLOOMFIELD HILLS, MI 48303

EXAMINER

COLETTA, LORI L

ART UNIT PAPER NUMBER

3612

DATE MAILED: 07/22/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/761,114

Applicant(s)

KANIE, HIDEKI

Examiner

Lori L. Coletta

Art Unit

3612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 January 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-12 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1 and 7 is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☒ Claim(s) 2-6 and 8-12 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 20 January 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 01302004.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the **threaded stud or a rod-shaped stud having a groove in the periphery** (claims 1 and 7) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 3612

2. **Figure 1** should be designated by a legend such as **--Prior Art--** because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawing sheets are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

3. The abstract of the disclosure is objected to because the abstract include reference characters which are not enclosed within parentheses. Correction is required.

See MPEP § 608.01(b).

4. The disclosure is objected to because of the following informalities:

"stud-receiving opening 30 is opened with being tapered" [0033] is awkward.

"footrest assembly 48" [0042] needs to be changed to **--footrest assembly 49--**.

Appropriate correction is required.

Claim Objections

5. Claims 2-6 and 8-12 are objected to because of the following informalities:

Regarding claim 2, "An assembly" (line 1) needs to be changed to

--An footrest assembly--. *See same deficiency in claims 3-6 (line 1).*

"said extension" (line 8) needs to be changed to **--said extension of said engagement pawl--**.

See same deficiency in claim 8 (line 8).

Art Unit: 3612

Claims 3 and 9 recites the limitations "the side surface" (line 1) and "the inner peripheral surface" (line 2). There is insufficient antecedent basis for this limitation in the claim.

Claims 4 and 10 recites the limitation "the inner wall" in line 3. There is insufficient antecedent basis for this limitation in the claim.

Appropriate correction is required.

Allowable Subject Matter

6. Claims 1 and 7 are allowed.

7. The following is a statement of reasons for the indication of allowable subject matter:

The recitations of the specific features of the footrest assembly in claim 1 including especially the construction of the second clip component is received in the tubular portion of the first clip component in a rotatable manner about the axis of the tubular portion to allow selective angular rotation of said second clip component between an engagement position where the engagement pawl of the first clip component is allowed to engage with the stud and release position where the engagement pawl is bent not to engage with the stud is not taught nor is fairly suggested by the prior art of record.

The recitations of the specific features of the clip in claim 7 including especially the construction of the second clip component is received in the tubular portion of the first clip component in a rotatable manner about the axis of the tubular portion to allow selective angular rotation of said second clip component between an engagement position where the engagement pawl of the first clip component is allowed to engage with the stud and release position where the engagement pawl is bent not to engage with the stud is not taught nor is fairly suggested by the prior art of record.

Art Unit: 3612

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lori L. Coletta whose telephone number is (703) 306-4614.

The examiner can normally be reached on Monday-Friday 6:00am-2:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Dayoan can be reached on (703) 308-3102. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lori L. Coletta
Examiner
Art Unit 3612

Lori L. Coletta 7/20/2004
LORICOLETTA
PRIMARY PATENT EXAMINER